

MMg65-75-85 B - 70 S

Not just a scrubbing machine, but a new approach to scrubbing!



With MMg scrubbing machines profit is assured:
IMMEDIATELY, when you purchase it
and AFTER, while you use it!

 **FIMAP**[®]
affordable cleaning


MMg scrubbing machines.

MAXIMUM equipment with MINIMA

... for MAXIMUM SAVING!



USER FRIENDLY DESIGN



MMg is as large as a walk-behind scrubbing machine with TWICE THE PRODUCTIVITY

No training for the operator



Up to 4 hour non-stop operation thanks to its START&STOP device as standard equipment




Up to 50% water and detergent saving. Uniform cleaning already after the first pass




FFF Fimap Fast Fill system for fast tank filling

... for MAXIMUM PERFORMANCE!


VARIABLE DECK




Working width adjustable in length between 65 and 85 cm



Best manoeuvrability even in narrow spaces thanks to tight turning diameter



Perfect cleaning along walls



Version with cylindrical brush and suction into the dirt hopper for solid waste collection also available



Pressure adjustment depending on the type of dirt



Maxi

AL investment...

Dramatic reduction
in cleaning costs per sq.m.

... for MINIMAL MAINTENANCE!



Easy passage
through traditional
80 cm wide doors



Squeegee blades
with four workable
edges



Easy battery charging
thanks to built-in
battery charger
(on request)




Complete tank
sanitification



All maintenance
procedures
do not require any tools

... for MAXIMUM SAFETY!



Low centre
of gravity for best stability.
Maximum gradient on ramps up to 18%

SHOCK PROOF



Automatic swing-in
of the brush head
when accidentally
impacted

BREAK AWAY



When accidentally
impacted,
the squeegee
is uncoupled to
prevent dangerous
situations



Anti-skid and
non-marking wheels
as standard equipment.
Brake system
on sloping ground











Only 58 dB (A).
Possibility
to operate in
nursing homes,
hospitals, nursery
schools, etc.

MMg scrubbing machines come in the following versions:

Professional Line

STANDARD EQUIPMENT	MMg65/75/85 B - 70 S
Water and detergent management	
FSS (Fimap Solution Saver)	optional
FWF (FimapWaterFlow)	•
START&STOP	•
Fast water filling with drip stop	•
Water level indicator	•
Scrubbing performance	
Adjustable brush pressure	• (no 70 Bs)
Ramp climbing capacity	•
Squeegee with polyurethane rubber bars re-usable on 4 sides	•
Variable scrubbing head	•
3-stage suction motor	optional
Operating autonomy	
(4) 6V/210 Ah C5 batteries	optional
(2) 12V/130 Ah C5 batteries	optional
2x12V/82Ah C5 Quick Charge Set	optional

STANDARD EQUIPMENT	MMg65/75/85 B - 70 S
Comfort	
FNC (FimapNoiseCanceling)	•
Fully sanitizable tanks	•
Programme selector	•
Step-through access	•
On-board battery charger	optional
Hour meter	•
Battery charge level	•
FFF (FimapFastFill)	optional
Safety	
Anti-skid and non-marking front drive wheel	•
Antiskid and non-marking rear wheels	•
Mechanical service and parking brakes	•
Flasher	optional
Squeegee with shock-resistant coupling	•
Scrubbing head with impact-elicited swinging in	•
Dead man's switch	•

PROFESSIONAL LINE	 Electromagnetic compatibility Emission standard	 Working width cm	 Number of brushes	 Supply V/ traction	 Solution tank l	 Recovery tank l	 Working capacity up to m ² /h	 Machine dimensions in mm L x h x w
MMg65 B	EN 6100-6-1, 2, 3, 4	65	2	24/aut.	110	125	3900	1485 x 1320 x 679
MMg75 B		75	1				4500	
MMg85 B		85					5100	
MMg70 S		71					4200	

For any additional information or for a demo please contact your usual Fimap dealer

Dealer's stamp



affordable cleaning

www.fimap.com

Fimap Spa reserves the right, at anytime, to make technical and/or equipment modifications without prior notification. The images are shown as reference only and are not binding as to the actual design and/or equipment - Copyright © Fimap 2010 COD. 301611 - 04-2010

An ISO 9001:2000, ISO 14001:2004,
OHSAS 18001:2007
Organisation certified by Q.C.B. Italy

FIMAP spa - Via Invalidi del Lavoro, 1 - 37050 S. Maria di Zevio - Verona - Italy
Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com

 00800-05070000