

# FV30-FV60-FV80

WET & DRY VACUUM CLEANERS



WETorDRY  
Technology

Simultaneous  
vacuuming of wet  
and dry dirt



AUTO-CLEAN  
Technology

Automatic filter  
cleaning



We don't ask you to do two things at once, we will do it for you:  
vacuum cleaners to collect wet and dry dirt simultaneously

 **FIMAP**<sup>®</sup>

# FV30-FV60-FV80

FV30/60/80 are professional vacuum cleaners with 30, 60 and 80 liters capacity, that are very powerful, ergonomic and convenient to use. They are equipped with exclusive technologies that improve productivity and performances. They are ideal for professional use or specialized cleaning contractors. They are suitable for hospitals, swimming pools, schools, and production areas.

## The WETorDRY technology

allows to vacuum separately or simultaneously both liquids and dust, without the need to stop and change the filter. This technology helps to improve productivity, since it optimizes cleaning time and does not require any action by the operator.

## The AUTO-CLEAN technology

improves the vacuuming performances and reduces cleaning time, since it allows to automatically clean the filter at anytime just pressing a button, without the need of manual operations.

Hepa filter is available on request to increase the filtering performances even for the vacuuming of very fine dust.



## WETorDRY TECHNOLOGY



It ensures perfect cleaning performances in any environment, being able to vacuum liquids, dust and coarse dirt at the same time without changing the filter





## AUTO-CLEAN TECHNOLOGY

At anytime the automatic filter cleaning can be operated, just pressing a button, thus keeping high the filtering performances. The vacuuming action will be excellent and constant without the need of manual operations

The ergonomic handlebar makes it easy to move

Inside the container the liquids are gathered in the tank while the air is vacuumed up to the foam filter that cleans it by any possible residual water and then is filtered from dust by the cartridge filter. At the end it returns into the environment perfectly clean. Thanks to the WETorDRY technology the operator never stops to change the filter or to use other cleaning solutions

Robust tubes made of steel

Big rear wheels for better manoeuvrability

The FV80 model has been designed for the application of a front squeegee, suitable for liquid vacuuming on wide areas (Optional)



# FV30-FV60-FV80

## FILTER APPLICATION

|                                             |  |  |  |  |  |  |  |  |
|---------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Standard vacuuming                          | •                                                                                 | •                                                                                 | •                                                                                 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Dry Vacuuming                               |                                                                                   |                                                                                   | •                                                                                 | •                                                                                  |                                                                                     |                                                                                     |                                                                                     | •                                                                                   |
| Vacuuuming of liquids and washing of floors | •                                                                                 | •                                                                                 | •                                                                                 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Vacuuuming of liquids and dust              | •                                                                                 | •                                                                                 | •                                                                                 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Vacuuuming of fine dust                     |                                                                                   |                                                                                   | •                                                                                 |                                                                                    | •                                                                                   |                                                                                     |                                                                                     | •                                                                                   |
| Vacuuuming of colored dust                  |                                                                                   |                                                                                   | •                                                                                 |                                                                                    | •                                                                                   | •                                                                                   |                                                                                     | •                                                                                   |
| Vacuuuming of plastic dust                  |                                                                                   |                                                                                   |                                                                                   |                                                                                    | •                                                                                   | •                                                                                   |                                                                                     | •                                                                                   |
|                                             | STANDARD                                                                          |                                                                                   |                                                                                   |                                                                                    | OPTIONAL                                                                            |                                                                                     |                                                                                     |                                                                                     |

| TECHNICAL DATA         |                 | FV30-60                    | FV80        |
|------------------------|-----------------|----------------------------|-------------|
| Tank material          |                 | PHED                       | PHED        |
| Voltage*               | V/Hz            | 230/50                     | 230/50      |
| Motore                 | n.              | 1                          | 1           |
| Stages                 | n.              | 1                          | 1           |
| Power                  | W               | 1600                       | 1600        |
| Suction vacuum         | kPa             | 22                         | 22          |
| Air flow               | l/s             | 53,7                       | 58,7        |
| Filter surface area    | cm <sup>2</sup> | 3275                       | 3275        |
| Tank capacity          | l               | 30-60                      | 80          |
| Cable length           | m               | 15                         | 15          |
| Weight                 | Kg              | 12-13                      | 19          |
| Dimensions (L x h x w) | mm              | 430x560x400<br>430x760x400 | 580x950x480 |

\* V/Hz 115/60 is also available

| STANDARD EQUIPMENT                            | FV30-60 | FV80 |
|-----------------------------------------------|---------|------|
| WETorDRY Technology                           | •       | •    |
| AUTO-CLEAN Technology                         | •       | •    |
| Motor 1600 W                                  | •       | •    |
| Accessory kit Ø37                             | •       | -    |
| Accessory kit Ø40                             | -       | •    |
| Accessory holder                              | •       | •    |
| High visibility cable, 15 m                   | •       | •    |
| Exhaust hose for quick emptying of dirt water | •       | •    |
| Polyethylene tanks for superior robustness    | •       | •    |
| Tubes made of stainless steel                 | •       | •    |

## CERTIFICATIONS



For any additional information or for a demo please contact your usual Fimap dealer

  
www.fimap.com

FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy  
Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com

 00800-05070000