



NEW



**PLANET 300
PLANET 300S**

**PLANET 350
PLANET 350S**

EXCLUSIVE CHARACTERISTICS

- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DETACHABLE TANK AND SOLID CART
- ▶ MANUAL FILTER SHAKER
- ▶ TANGENTIAL OR METAL INLET
- ▶ DOUBLE STAGE MOTORS AND TURBINE
- ▶ BIG AND BRAKED WHEELS
- ▶ INDUSTRIAL FRAMEWORK WITH AISI 304 WITH DETACHABLE TANK
- ▶ TANGENTIAL INLET AND CONVEYOR CONE
- ▶ STARSHAPED FILTER, PCB PREFILTER AND ADDITIONAL CARTRIDGE
- ▶ VACUUM RELIEF VALVE AND FILTRATION LEVEL INDICATOR
- ▶ LONG LASTING TURBINE WITH PERFECT PERFORMANCE

		PLANET 300	PLANET 300S	PLANET 350	PLANET 350S
Code		ASID00416	ASID00421	ASID89598	ASID01000
TECHNICAL DATA					
Usage		DRY	DRY	DRY	DRY
Number of phases		3 phases	3 phases	3 phases	3 phases
Voltage	V	400	400	400	400
Turbine		1 single stage	1 single stage	1 single stage	1 single stage
Power	W	3000	3000	4000	4000
Water lift	mmH ₂ O	2500	2500	3000	3000
Airflow	m ³ /h	330	330	330	330
Tank Capacity/Material	l	60	100	60	100
Diameter of inlet	mm	70	70	70	70
Filtering surface	cm ²	19.500	19.500	19.500	19.500
Sound Pressure Level	dB(A)	77	77	79	79
Dimensions (LxWxH)	mm	660x900x1530	660x900x1730	660x900x1560	660x900x1760
Weight	Kg	85	85	85	90

STANDARD EQUIPMENT

CODE: KTRI04597
FILTERING KIT



CODE: FTDP40014
POLYCARBON PREFILTER



OPTIONAL ACCESSORIES

Basic tool kit Ø50-70 mm	PMDT00444
Anti-Static tool kit Ø50-70 mm	PMDT00426
Anti-oil tool kit Ø50-70 mm	PMDT00448
Float kit for Planet 60 lt	KTRI03123
Float kit for Planet 100 lt	KTRI03124
Hepa cartridge	FTDP40006

Complete descriptions available at page 371

Information about waterlift and airflow refers to single motors. Specifications, descriptions and pictures are supplied as indicative; rights to technical modifications reserved without prior notice.