



CONDUCTIVE & STATIC DISSIPATIVE PLASTIC



CONDUCTIVE & STATIC DISSIPATIVE PLASTIC

PLANET 152 ATEX CE EX II 3D Ex t IIIB T135°C Dc IP55

PLANET 202 ATEX CE EX II 3D Ex t IIIB T135°C Dc IP55

EXCLUSIVE FEATURES

- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DETACHABLE TANK AND SOLID CART
- ▶ MANUAL FILTER SHAKER
- ▶ BIG AND BRAKED WHEELS
- ▶ INDUSTRIAL FRAMEWORK WITH AISI 304 WITH DETACHABLE TANK
- ▶ STARSHAPED FILTER, PCB PREFILTER AND ADDITIONAL CARTRIDGE
- ▶ VACUUM RELIEF VALVE AND FILTRATION LEVEL INDICATOR
- ▶ LONG LASTING TURBINE WITH PERFECT PERFORMANCE
- ▶ EXPLOSION PROOF TURBINE AND DESIGN FOR ATEX ZONE 22
- ▶ CONDUCTIVE WHEELS WITH BRAKES
- ▶ STATIC DISSIPATING FILTERS
- ▶ PCB PREFILTER & ADDITIONAL CARTRIDGE

EXCLUSIVE FEATURES

- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DETACHABLE TANK AND SOLID CART
- ▶ MANUAL FILTER SHAKER
- ▶ DOUBLE STAGE MOTORS AND TURBINE
- ▶ BIG AND BRAKED WHEELS
- ▶ INDUSTRIAL FRAMEWORK WITH AISI 304 WITH DETACHABLE TANK
- ▶ STARSHAPED FILTER, PCB PREFILTER AND ADDITIONAL CARTRIDGE
- ▶ VACUUM RELIEF VALVE AND FILTRATION LEVEL INDICATOR
- ▶ LONG LASTING TURBINE WITH PERFECT PERFORMANCE
- ▶ EXPLOSION PROOF TURBINE AND DESIGN FOR ATEX ZONE 22
- ▶ CONDUCTIVE WHEELS WITH BRAKES
- ▶ STATIC DISSIPATING FILTERS
- ▶ PCB PREFILTER & ADDITIONAL CARTRIDGE

		PLANET 152 ATEX
Code		ASID00379
TECHNICAL DATA		
Usage		DRY
Number of phases		1
Voltage	V	220-240
Turbine		1xsingle stage
Power	W	1500
Water lift	mmH ₂ O	1800
Airflow	m ³ /h	220
Tank Capacity	l	35
Diameter of inlet	mm	60
Filtering surface	cm ²	12.000
Sound Pressure Level	dB(A)	74
Dimensions (LxWxH)	mm	710x660x1280
Weight	Kg	62.5

		PLANET 202 ATEX
Code		ASID00412
TECHNICAL DATA		
Usage		DRY
Number of phases		three phase
Voltage	V	400
Turbine		1xsingle stage
Power	W	3000
Water lift	mmH ₂ O	2500
Airflow	m ³ /h	304
Tank Capacity	l	40
Diameter of inlet	mm	60
Filtering surface	cm ²	19.500
Sound Pressure Level	dB(A)	76
Dimensions (LxWxH)	mm	680x700x1360
Weight	Kg	60

STANDARD EQUIPMENT

CODE: KTRI03141 CONDUCTIVE FILTERING KIT
 CODE: FTDP00223 POLYCARBON PREFILTER



STANDARD EQUIPMENT

CODE: KTRI04594 CONDUCTIVE FILTERING KIT
 CODE: FTDP40014 POLYCARBON PREFILTER



OPTIONAL ACCESSORIES

Anti-Static tool kit Ø50-60 mm	PMDT00436
Anti-Static tool kit Ø38-60 mm	PMDT00326
High Reach Cleaning ATEX	AVAILABLE
Hepa cartridge kit	KTRI03681
Nylon filter for exhausting air	FTDP00410
Connection for nylon filter	RCVR00878

OPTIONAL ACCESSORIES

Anti-Static tool kit Ø50-60 mm	PMDT00436
Anti-Static tool kit Ø38-60 mm	PMDT00326
High Reach Cleaning ATEX	AVAILABLE